

TECHNICAL INFORMATION

LIMPIADOR DE LADRILLO Y FACHALETA

505-00308-900



DESCRIPTION

Limpiador de ladrillo o fachaleta is a specialized brick and cladding cleaner with acidic pH on an aqueous base. It includes a mixture of chemicals with high removal power for contaminated surfaces.

USE

Recommended for cleaning efflorescence, salts and other impurities present in bricks, concrete tiles, and similar substrates, as well as for natural stone preparation. Its high acid concentration makes it easy to remove contaminants from surfaces treated with sealers or permeating substances.

Structure	Ceilings, concrete eaves, exterior walls.
Exterior, Interior	Indoor, Outdoor
Surface	Concrete, masonry, natural stone, clay tiles.
Product line	Domestic Line, Professional/Industrial Line

PROPERTIES

PHYSICAL PROPERTY	DATA
Weight per Gallon (kg/gal)	3.95 - 4.05
pH of the Mixture	0 - 2

CONTAINERS

AVAILABLE CONTAINERS

1 gallon can (3.785 Lt.)

AVAILABLE COLORS

Clear

SURFACE PREPARATION

CONDITION

INSTRUCTION

Brick and Cladding: No preparation required.

These technical data were calculated under controlled laboratory conditions, but SUR QUIMICA has no control over the conditions, tools, the skills of the applicator, or over the selection, preparation or compatibility of the products used; therefore, can only guarantee this product's quality, its features and qualities' suitability, but is not responsible for the results obtained in conditions impossible to check once the job has been done. SUR QUIMICA has made reasonable efforts to ensure the accuracy of the information provided here, but assumes no responsibility for any error, omission or inaccuracy in it. If there is any inconsistency between different language issues of this document, Spanish version will prevail.



Version 2.0 of: Apr 4/15/2020
15, 2020 9:05AM



TECHNICAL INFORMATION

LIMPIADOR DE LADRILLO Y FACHALETA

505-00308-900



PRODUCT PREPARATION

COMPONENT	MIXING RATIO	MIXING INSTRUCTIONS
	Product: 505-00308-900, LIMPIADOR DE 100 % LADRILLO Y FACHALETA	Ready to use. Do not dilute:

PRODUCT APPLICATION

APPLICATION TOOLS:

Sprayer Backpack Sprayer

Application conditions

It should not be applied to surfaces where water flows freely from leaks, nor to concrete previously treated with another waterproofing or paint.

Product may be applied when surface is wet.

Protect all surfaces near this product application.

Application Instructions

Apply this brick and cladding spraying directly with a hand sprayer or backpack sprayer. Use always the appropriate Personal Protective Equipment (PPE). Scrub the surface with a semi-hard bristle brush, allow to stand for 15 - 20 minutes and preferably wash with a pressure washer or manually, until all contaminant and dirt are removed.

Do not apply to frozen, dusting, unstable or inconsistent surfaces.

NOTICE

- ✓ Keep container tightly closed in a ventilated place, between 20 and 30°C, out of reach of children.
- ✓ If you need other information, you can check our website at <https://www.gruposur.com/asistencia/>
- ✓ Do not use this product under immersion.
- ✓ It should not be mixed with strong bases (pH >12), as it may produce a strong reaction.

HEALTH

These technical data were calculated under controlled laboratory conditions, but SUR QUIMICA has no control over the conditions, tools, the skills of the applicator, or over the selection, preparation or compatibility of the products used; therefore, can only guarantee this product's quality, its features and qualities' suitability, but is not responsible for the results obtained in conditions impossible to check once the job has been done. SUR QUIMICA has made reasonable efforts to ensure the accuracy of the information provided here, but assumes no responsibility for any error, omission or inaccuracy in it. If there is any inconsistency between different language issues of this document, Spanish version will prevail.



TECHNICAL INFORMATION

LIMPIADOR DE LADRILLO Y FACHALETA

505-00308-900



-
- ✓ Use only in open locations, as the reaction produced with different contaminants can generate toxic gases.
 - ✓ If you need to dispose of empty containers of our products in Costa Rica, contact your SUR Color paint store or our industrial compound in La Uruca, San Jose.
 - ✓ This a professional/industrial product and it should be applied by properly trained personnel, wearing appropriate Personal Protection Equipment (PPE), as described in its Safety data Sheet (MSDS), available at <http://www.gruposur.com>
 - ✓ This product is highly corrosive.

These technical data were calculated under controlled laboratory conditions, but SUR QUIMICA has no control over the conditions, tools, the skills of the applicator, or over the selection, preparation or compatibility of the products used; therefore, can only guarantee this product's quality, its features and qualities' suitability, but is not responsible for the results obtained in conditions impossible to check once the job has been done. SUR QUIMICA has made reasonable efforts to ensure the accuracy of the information provided here, but assumes no responsibility for any error, omission or inaccuracy in it. If there is any inconsistency between different language issues of this document, Spanish version will prevail.



Version 2.0 of: Apr 4/15/2020
15, 2020 9:05AM

