

TECHNICAL INFORMATION

KIT ACUARELAS PROFESIONALES

Professional Watercolor Kit

522-00127-000



DESCRIPTION

Set of 12 watercolors formulated from vegetable gum and high-quality pigments. Watercolor is a translucent medium, which allows the paper surface to be visible. A fast-drying paint, of good resistance and fluidity, that allows color superposition and achieves an optimal transparency.

USE

Product designed especially for artists with domain of the watercolor technique. It should be applied on watercolor paper, because of its great absorption qualities, which helps to achieve the desired effects. Although watercolor dries when exposed, it can be reused, as it is re-wettable.

Surface	Watercolor paper
Line	Artistic, Domestic Line

PROPERTIES

SPECIAL PROPERTIES

- Good color intensity
- Excellent quality
- Fast drying
- Easy to apply
- Allows overlapping of colors and glazes

PHYSICAL PROPERTIES

DATA

Weight solids (%)	58 - 60
pH	7 - 9
Brookfield Viscosity (cPs)	20000 - 40000
Volume Solids (%)	47 - 49

CONTAINERS

AVAILABLE CONTAINERS

AVAILABLE COLORS

These technical data were calculated under controlled laboratory conditions, but SUR QUIMICA has no control over conditions, tools, applicator skills, selection, preparation, or compatibility of products used; therefore, can only guarantee this product quality, its features and qualities' suitability, but is not responsible for the results obtained in conditions impossible to check once the job has been done. SUR QUIMICA has made reasonable efforts to ensure the accuracy of the information provided here, but assumes no responsibility for any error, omission, or inaccuracy in it. If there is any inconsistency between different language issues of this document, Spanish version will prevail.

TECHNICAL INFORMATION

KIT ACUARELAS PROFESIONALES

Professional Watercolor Kit

522-00127-000



Set of 12 metallic tubes, containing 12 ml. each

Available in chart colors

SURFACE PREPARATION

CONDITION

INSTRUCTION

Surface preparation

Surface should be dry and free of grease, oil, dust, or any other contaminants.

PREPARACIÓN DEL PRODUCTO PRODUCT PREPARATION

COMPONENT

MIXING RATIO

MIXING INSTRUCTIONS

Product: 522-00127-000, KIT ACUARELAS 100%
PROFESIONALES

Diluent: TAP WATER

Water proportion depends on the
desired transparency

PRODUCT APPLICATION

APPLICATION TOOL

Finger

Putty Knife

Sponge

Brush

Tools

This product can be applied with watercolor brushes.

Drying times

Full Drying time

5 to 20 minutes, depending on the proportion of
water used and the cotton percentage in the
paper.

Application instructions

Apply it on watercolor or heavy weight paper.

Use tap water to mix and dilute colors.

If this product dries on the palette, it can be re-wet and reused.

These technical data were calculated under controlled laboratory conditions, but SUR QUIMICA has no control over conditions, tools, applicator skills, selection, preparation, or compatibility of products used; therefore, can only guarantee this product quality, its features and qualities' suitability, but is not responsible for the results obtained in conditions impossible to check once the job has been done. SUR QUIMICA has made reasonable efforts to ensure the accuracy of the information provided here, but assumes no responsibility for any error, omission, or inaccuracy in it. If there is any inconsistency between different language issues of this document, Spanish version will prevail.

TECHNICAL INFORMATION

KIT ACUARELAS PROFESIONALES

Professional Watercolor Kit

522-00127-000



NOTICE

- ✓ If you need more information, check our website <https://www.gruposur.com/asistencia/>
Container must be kept out of reach of children, tightly closed in a ventilated place, away from sunlight or intense heat.
Do not apply fully exposed to sunlight, to avoid accelerated drying.
Painted surface should be protected from having a long sun exposure.

HEALTH

- ✓ The user of this product may need the appropriate Personal Protection Equipment (PPE), as described in its Safety data Sheet (MSDS), available at <http://www.gruposur.com>

If you need to dispose of empty containers of our products in Costa Rica, contact your SUR store or our industrial compound in La Uruca, San Jose

These technical data were calculated under controlled laboratory conditions, but SUR QUIMICA has no control over conditions, tools, applicator skills, selection, preparation, or compatibility of products used; therefore, can only guarantee this product quality, its features and qualities' suitability, but is not responsible for the results obtained in conditions impossible to check once the job has been done. SUR QUIMICA has made reasonable efforts to ensure the accuracy of the information provided here, but assumes no responsibility for any error, omission, or inaccuracy in it. If there is any inconsistency between different language issues of this document, Spanish version will prevail.