

TECHNICAL INFORMATION

ARTI SUR SCHOOL GLUE



525-23341-000

DESCRIPTION

ARTI SUR SCHOOL GLUE is a liquid glue, specially developed to bond paper, cardboard and wood. Fast drying and excellent adhesion.

USE

ARTI SUR SCHOOL GLUE is ideal for school use and home arts. Apply it directly over the surface to bond.

Surface Paper, board, Wood

Product line Domestic Line

CHARACTERISTICS

ASSESSMENT

Appearance	Milky liquid
Long lasting	With a properly closed container
Excellent quality	
Fast Dry	
Easy to apply	

PHYSICAL PROPERTY

DATA

Volume Solids (%)	29 - 31
Weight solids (%)	31 - 33
Weight per Gallon (kg/Gl)	3,8 - 4,1
Brookfield Viscosity RFV (cPs)	3,200 - 4,800 @ 25 °C
Density (kg/l)	1,0 - 1,10

These technical data were calculated under controlled laboratory conditions, but SUR QUIMICA has no control over the conditions, tools, the skills of the applicator, or over the selection, preparation or compatibility of the products used; therefore can only guarantee this product's quality, its features and qualities' suitability, but is not responsible for the results obtained in conditions impossible to check once the job has been done. SUR QUIMICA has made reasonable efforts to ensure the accuracy of the information provided here, but assumes no responsibility for any error, omission or inaccuracy in it.



Version 1.0 of: Nov 11/6/2017
6 2017 4:15PM



TECHNICAL INFORMATION

ARTI SUR SCHOOL GLUE



525-23341-000

PRESENTATION

AVAILABLE PRESENTATIONS

1 liquid ounce= 30 ml

2 liquid ounces= 60 ml

4 liquid ounces= 120 ml

SURFACE PREPARATION

CONDITION

INSTRUCTION

Surface Preparation

Surfaces to bond should be free of grease, oils, dust or any other contaminants.

PRODUCT PREPARATION

COMPONENT

MIXING RATIO

MIXING INSTRUCTIONS

Product: 525-23341-000 – ARTI SUR
SCHOOL GLUE

100 %

Ready to use. Does not require dilution.

PRODUCT APPLICATION

IT CAN BE APPLIED WITH



Direct to the surface Finger

Sponge

Brush

Tools

Direct from the container's nozzle.

Application Instructions

Designed to be applied by children on paper or cardboard, using their fingers, brush or sponge. Then just join parts together, and let dry.

Washable with water and soap while wet.

These technical data were calculated under controlled laboratory conditions, but SUR QUIMICA has no control over the conditions, tools, the skills of the applicator, or over the selection, preparation or compatibility of the products used; therefore can only guarantee this product's quality, its features and qualities' suitability, but is not responsible for the results obtained in conditions impossible to check once the job has been done. SUR QUIMICA has made reasonable efforts to ensure the accuracy of the information provided here, but assumes no responsibility for any error, omission or inaccuracy in it.



Version 1.0 of: Nov 11/6/2017
6 2017 4:15PM



TECHNICAL INFORMATION

ARTI SUR SCHOOL GLUE



525-23341-000

If it get in contact with clothing, wash immediately before glue becomes dry, to avoid stains.

Excess of applied product and low temperatures can cause longer drying times.

OBSERVATIONS

- ✓ If you need more information, one of our technicians will assist you. Call 800-SUR-2000 or email us at customerservice@gruposur.com
- ✓ To avoid stains on clothing, wash immediately with warm water and soap before drying.

HEALTH

- ✓ The user of this product may need the appropriate Personal Protection Equipment (PPE), as described in its Safety data Sheet (MSDS), available at <http://www.gruposur.com>
- ✓ If you need to dispose of empty containers of our products in Costa Rica, contact your SUR Color paint store or our industrial compound in La Uruca, San Jose.

These technical data were calculated under controlled laboratory conditions, but SUR QUIMICA has no control over the conditions, tools, the skills of the applicator, or over the selection, preparation or compatibility of the products used; therefore can only guarantee this product's quality, its features and qualities' suitability, but is not responsible for the results obtained in conditions impossible to check once the job has been done. SUR QUIMICA has made reasonable efforts to ensure the accuracy of the information provided here, but assumes no responsibility for any error, omission or inaccuracy in it.



Version 1.0 of: Nov 11/6/2017
6 2017 4:15PM

