

TECHNICAL INFORMATION

KLEAR DESENGRASANTE AUTOMOTRIZ

529-35770-900



DESCRIPTION

KLEAR DESENGRASANTE AUTOMOTRIZ is an automotive degreaser and cleaner, aroma-free, containing surfactants and water-soluble emulsifying solvents of high cleaning power, which effectively remove grease, oil, waxes and other residues deposited on different surfaces, even if they are difficult to reach.

USE

Use KLEAR DESENGRASANTE AUTOMOTRIZ on worktables, undercarriage, bodywork, external walls of diesel and gasoline engines, suspensions and any surface such as stainless steel, aluminum or other substrates where excess grease is required to be removed. It can be used in professional environments, such as mechanical workshops or lube centers. This product can be used pure or diluted (from 4:1 to 10:1 ratios) depending on the area and the degree of dirt you want to attack.

STRUCTURE

Industrial equipment, car body, engine.

Line

Domestic Line, Industrial/Professional Line

PROPERTIES

PHYSICAL PROPERTIES

DATA

Appearance:	Liquid
Mixture Color	Yellowish
Aroma	Odorless
pH value	9 - 11
Density	0.95 - 1.03 g/ml

CONTAINERS

AVAILABLE CONTAINERS

240 ml plastic container

870 ml plastic container

1 gallon plastic can (3.785 Lt.)

5-gallon bucket (18.925 Lt.)

This product should be used by qualified personnel using special equipment. These technical data were calculated under controlled laboratory conditions based on our experience, but we assume no responsibility for the correct selection, compatibility, application and systems used to apply our products. SUR QUÍMICA guarantees the quality of this product, the suitability of its characteristics and qualities, but is not responsible for the results obtained under conditions impossible to verify once the work has been done. SUR QUÍMICA has made reasonable efforts to ensure the accuracy of the information provided herein, but assumes no liability for any errors, omissions or inaccuracies thereof. If there is any inconsistency between different language issues of this document, Spanish version will prevail.

TECHNICAL INFORMATION

KLEAR DESENGRASANTE AUTOMOTRIZ

529-35770-900



55-gallon plastic drum (208,175 Lt.)

PRODUCT PREPARATION

COMPONENT	MIXING RATIO	MIXING INSTRUCTIONS
Product: 529-35770-900, DESENGRASANTE AUTOMOTRIZ	KLEAR 4 to 1 up to 10 to 1	Dilution will depend on how much dirt you want to attack. On a very dirty surface, the suggested dilution is 4 parts of water per 1 part of product. On a medium soiled surface, dilute 6 or 7 parts of water per 1 part of product. And, on a light dirt surface, dilute 10 parts of water per 1 part of product.

PRODUCT APPLICATION

APPLICATION TOOLS

BRUSH Conventional spray gun (gravity or suction)

Application instructions

Can be applied by brush, spray or air compressor. Apply the product generously to contaminated areas (preferably when the surface is at room temperature), leave on for a period of no less than 3 minutes and no longer than 5 minutes. For better performance of the product according to the treated surface, rinse with clean water, if necessary, repeat the process until the surface is completely free of contaminants. On hot surfaces make sure that these do not exceed 80 °C, take into account that its usefulness and performance may be affected by forced evaporation.

NOTICE:

This product should be used by qualified personnel using special equipment. These technical data were calculated under controlled laboratory conditions based on our experience, but we assume no responsibility for the correct selection, compatibility, application and systems used to apply our products. SUR QUÍMICA guarantees the quality of this product, the suitability of its characteristics and qualities, but is not responsible for the results obtained under conditions impossible to verify once the work has been done. SUR QUÍMICA has made reasonable efforts to ensure the accuracy of the information provided herein, but assumes no liability for any errors, omissions or inaccuracies thereof. If there is any inconsistency between different language issues of this document, Spanish version will prevail.

TECHNICAL INFORMATION

KLEAR DESENGRASANTE AUTOMOTRIZ

529-35770-900



- ✓ If you need other information, visit our website at <https://www.gruposur.com/asistencia/>
- ✓ Store this product in its original container between 20°C and 30°C, in a dry, ventilated place, out of the reach of children.
- ✓ The container must remain closed to prevent loss of its properties.
- ✓ Refrigeration of the contents of this container is not recommended

HEALTH

- ✓ Do not spray directly onto plants, eyes, mouth or nose of humans or animals.
- ✓ The user of this product may need the appropriate Personal Protection Equipment (PPE), as described in its Safety data Sheet (MSDS), available at <http://www.gruposur.com>
- ✓ If you need to dispose of empty packages of our products in Costa Rica, contact your SUR store or our industrial compound in La Uruca, San Jose.

This product should be used by qualified personnel using special equipment. These technical data were calculated under controlled laboratory conditions based on our experience, but we assume no responsibility for the correct selection, compatibility, application and systems used to apply our products. SUR QUÍMICA guarantees the quality of this product, the suitability of its characteristics and qualities, but is not responsible for the results obtained under conditions impossible to verify once the work has been done. SUR QUÍMICA has made reasonable efforts to ensure the accuracy of the information provided herein, but assumes no liability for any errors, omissions or inaccuracies thereof. If there is any inconsistency between different language issues of this document, Spanish version will prevail.