## **TECHNICAL INFORMATION**

## LÁMINA DE ESTEREOFÓN

**Expanded Polystyrene (EPS Foam)** 





### **DESCRIPTION**

mm thickness.

Boards made from polystyrene beads processed and expanded with water vapor (EPS), which produce a flame retardant, self-extinguishing, inert and harmless material that does not deform over time.

#### **USE**

Due to their workability and versatility, Expanded Polystyrene boards have various uses in construction, they are used as thermal insulation and even for the preparation of decorative elements.

PROPERTIES	
PHYSICAL PROPERTIES	DATA
Density of polystyrene board	12–14 kg/m³
Polystyrene type	Class III, Type F
Fire behavior	Self–extinguishing and flame retardant.

SIZING
AVAILABLE SIZING
$57925-115-00$ EPS board $2.00m \times 0.49m \times 1 \ 1/2$ " thick.
57925-120-00 EPS board 2.00m x 0.49m x 2" thick
57925-115-00 EPS board 2.00m x 0.49m x 2" 1/2" thick.
57925-120-00 EPS board 2.00m x 0.49m x 2" thick
57925-115-00 EPS board 2.00m x 0.49m x 2" 1/2" thick.
57925-140-00 EPS board 2.00m x 0.49m x 4" thick
57925-220-00 EPS board 2.00m x 0.45m x 2" thick
57925–314–00 EPS sheet of 2.00m x 0.175m of 35

### **AVAILABLE COLORS**

White 000

These technical data were calculated under controlled laboratory conditions, but SUR QUÍMICA has no control over conditions, tools, applicator skills, selection, preparation, or compatibility of products used; therefore, can only guarantee this product quality, its features and qualities' suitability, but is not responsible for the results obtained in conditions impossible to check once the job has been done. SUR QUÍMICA has made reasonable efforts to ensure the accuracy of the information provided herein, but assumes no liability for any errors, omissions or inaccuracies thereof. If there is any inconsistency between different language issues of this document, Spanish version will prevail.

# TECHNICAL INFORMATION

# LÁMINA DE ESTEREOFÓN

**Expanded Polystyrene (EPS Foam)** 





## PRODUCT APPLICATION

### NOTICE:

✓ Keep away from heat/sparks/open flame/hot surfaces. Take precautions against electrostatic discharge.

If you need other information for safe handling of this product, you can visit our website <a href="https://www.gruposur.com/asistencia/">https://www.gruposur.com/asistencia/</a>

### **HEALTH**

The user of this product may need the appropriate Personal Protective Equipment, as described in the respective Safety Data Sheet (MSDS), available on our website <a href="https://www.gruposur.com">https://www.gruposur.com</a> If you need to dispose of empty packages of our products in Costa Rica, contact your SUR store or our industrial compound in La Uruca, San Jose.

These technical data were calculated under controlled laboratory conditions, but SUR QUÍMICA has no control over conditions, tools, applicator skills, selection, preparation, or compatibility of products used; therefore, can only guarantee this product quality, its features and qualities' suitability, but is not responsible for the results obtained in conditions impossible to check once the job has been done. SUR QUÍMICA has made reasonable efforts to ensure the accuracy of the information provided herein, but assumes no liability for any errors, omissions or inaccuracies thereof. If there is any inconsistency between different language issues of this document, Spanish version will prevail.